

laminatē.

BERRY  ALLOC

Collection overview.



Technical overview.

	100% water resistant				
	504 mm	1288 mm		2038 mm	
Plank length	84 mm	190 mm		241 mm	
Plank width	8 mm	8 mm	12 mm	8 mm	12 mm
Bevels	4	4		4	
Usage class EN 10874	23/33	23/33		23/33	
Collection	/ chateau+.	/ ocean 8 V4.	/ ocean 12 V4.	/ ocean 8 XL	/ ocean 12 XL.
Residential Warranty	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime
Commercial Warranty	10 Y	10 Y	10 Y	10 Y	10 Y
Loc system	OmniLoc	DuoLoc	PentaLoc	PentaLoc	PentaLoc
Hydro+ technology	•	•	•	•	•
Floor heating compatibility	•	•	•	•	•
Abrasion resistance ISO 24338A	AC5	AC5	AC5	AC5	AC5
Impact resistance small ball EN 17368	≥ 70 mm	≥ 70 mm	≥ 70 mm	≥ 70 mm	≥ 70 mm
Impact resistance big ball EN 13329	≥ 750 mm	≥ 750 mm (**)	≥ 750 mm (**)	≥ 750 mm (**)	≥ 750 mm (**)
Thickness swelling ISO 24336	12% (requirement ≤ 15%)	12% (requirement ≤ 15%)	12% (requirement ≤ 15%)	12% (requirement ≤ 15%)	12% (requirement ≤ 15%)
Fire resistance EN 13501-1	Cfl-S1	Cfl-S1	Cfl-S1	Cfl-S1	Cfl-S1
Formaldehyde EN 717-1	E1	E1	E1	E1	E1
Slipperiness EN 13893	DS	DS	DS	DS	DS
Density EN 323	950 kg/m³	900 kg/m³	900 kg/m³	900 kg/m³	900 kg/m³
Resistance to staining EN 438	5 (groups 1+2), 4 (group 3)	5 (groups 1+2), 4 (group 3)	5 (groups 1+2), 4 (group 3)	5 (groups 1+2), 4 (group 3)	5 (groups 1+2), 4 (group 3)
Effect of a furniture leg EN 16581	No damage (foot type 0)	No damage (foot type 0)	No damage (foot type 0)	No damage (foot type 0)	No damage (foot type 0)
Effect of a castor chair EN ISO 4918	No damage with type W wheels, 20.000 cycles	No damage with type W wheels, 20.000 cycles	No damage with type W wheels, 20.000 cycles	No damage with type W wheels, 20.000 cycles	No damage with type W wheels, 20.000 cycles
Thermal resistance in combination with BerryAlloc underlay ISO 8302	0,08 m²K/W (*)	0,08 m²K/W	0,12 m²K/W	0,08 m²K/W	0,12 m²K/W
CE mark	•	•	•	•	•
UKCA mark	•	•	•	•	•
PEFC	•	•	•	•	•
French VOC emission regulation	A	A+	A+	A+	A+
Planks/pack	24	9	6	6	4
m²/pack	1,02	2,20	1,47	2,95	1,96
Weight/pack kg	7,3	15,7	16,0	21,1	21,1
Packs/pallet	48	56	56	54	54
m²/pallet	48,8	123,3	82,2	159,1	106,1
Weight/pallet kg	365	891	908	1159	1159

(*) with Excellence Plus underlay (**) with Excellence Go 60 underlay



Collection overview.

Harmony Lab

Colour character

yellow

purple

red

green

orange

blue

Structure

RW Real Wood Structure - emboss in register (EIR)

W Wood Structure - emboss (N-EIR)

S Stone Structure - emboss stone structure (N-EIR)

Plank length

Plank width







Plank thickness

Bevels

Usage class

Number of skus

Collection

	Bloom Light Natural		B6405	W	natural oak – a lot of knots – matt – rich texture
	Bloom Natural		B6407	W	
	Bloom Sand Natural		B6421	W	
	Bloom Warm Natural		B6424	W	
	Bloom Light Brown		B6406	W	
	Bloom Silver Grey		B6426	W	
	Canyon Light		B4503	RW	expressive oak – a lot of knots – a lot of cracks – ultra matt – sophisticated texture
	Canyon Natural		B4507	RW	
	Charme White		B7501	RW	natural oak – matt – rich texture
	Charme Light Natural		B7505	RW	
	Charme Black		B7516	RW	
	Chestnut White		B6201	W	matt – subtle texture
	Crush Light		B4203	W	expressive oak – a lot of knots – occasional cracks – matt – rich texture
	Crush Natural		B4207	W	
	Crush Brown Natural		B4212	W	
	Elm Light		B7703	W	matt – subtle texture
	Epic Light		B8403	RW	expressive oak – a lot of knots – a lot of cracks – ultra matt – sophisticated texture
	Epic Natural		B8407	RW	
	Epic Grey		B8408	RW	
	Epic Brown		B8411	RW	expressive oak – a lot of knots – ultra matt – sophisticated texture
	Gyant Light		B4103	RW	
	Gyant Light Grey		B4104	RW	
	Gyant Light Natural		B4105	RW	
	Gyant Natural		B4107	RW	
	Gyant Dark Brown		B4113	RW	
	Gyant (XL) Light Sand		B1123/B4123	RW	
	Gyant (XL) Sand Natural		B1121/B4121	RW	
	Gyant (XL) Warm Natural		B1124/B4124	RW	natural oak – matt – subtle/rich texture
	Gyant (XL) Brown Natural		B1112/B4112	RW	
	Gyant (XL) Warm Brown		B1125/B4125	RW	
	Java Light Grey		B7304	W	natural oak – matt – subtle/rich texture
	Java Natural		B7307	RW	
	Java Brown		B7311	RW	
	Jazz (XL) Light Grey		B1004/B4604	RW ⁽¹⁾	natural oak – matt – rich texture
	Jazz (XL) Sand Natural		B1020/B4620	RW ⁽¹⁾	
	Majesty Natural ⁽³⁾		B2207	W	3 strip – matt – subtle texture
	Merbau Brown		B6311	W	gloss – subtle texture
	Ragnar Light Sand		B8523	W	natural pine – matt – subtle texture
	Ragnar Warm Natural		B8524	W	
	Retro Chic Blue Grey ⁽³⁾		B4409	S	stone – matt – subtle texture
	Select Light Sand		B8323	RW ⁽²⁾	natural soft oak – ultra matt – sophisticated texture
	Select Sand Natural		B8321	RW ⁽²⁾	
	Select Natural		B8307	RW	
	Select Light Brown		B8306	RW ⁽²⁾	
	Teak Brown		B7811	W	gloss – subtle texture
	Texas Light Natural		B7605	RW	expressive oak – matt – rich texture
	Texas Light Brown		B7606	RW	
	Texas Grey		B7608	RW	
	Texas Brown		B7611	RW	
	Walnut Brown		B8111	W	gloss – subtle texture

100% water resistant				
504 mm	1288 mm		2038 mm	
84 mm	190 mm		241 mm	
8 mm	8 mm	12 mm	8 mm	12 mm
4	4		4	
23/33	23/33		23/33	
15	50	12	13	10
/ chateau+.	/ ocean 8 V4.	/ ocean 12 V4.	/ ocean 8 XL	/ ocean 12 XL.
	62003051			
	62003052			
62002712 (A) 62002713 (B)	62003053	62002497	62002972	62002507
	62003055			
62002710 (A) 62002711 (B)	62003050		62002974	
	62003054	62002498	62003117	62002508
	62003056			
	62003057			
	62003060			
62002720 (A) 62002721 (B)	62003058			
62002722 (A) 62002723 (B)	62003059			
62002706 (A) 62002707 (B)	62003061			
	62003063			
	62003065			
	62003062			
	62003064			
	62003068	62003041		
	62003069	62003042		
	62003066			
	62003067			
62002702 (A) 62002703 (B)	62003072			
	62003073			
	62003074			
	62003076			
62002704 (A) 62002705 (B)	62003071			
	62003075	62002500	62003118	62002510
	62003077	62002499	62002977	62002509
	62003080	62002501	62003119	62002511
	62003070		62002976	
	62003078	62002502	62002979	62002512
62002714 (A) 62002715 (B)	62003081			
62002716 (A) 62002717 (B)	62003082			
62002718 (A) 62002719 (B)	62003079			
	62003083	62002503	62002975	62002513
	62003084	62002504	62002973	62002514
	62003086			
62002708 (A) 62002709 (B)	62003085			
	62003087			
	62003088			
	62003090			
	62003091		62002978	
	62003093	62002505	62003121	62002515
	62003092			
	62003089	62002506	62003120	62002516
62002728 (A) 62002729 (B)	62003094			
62002724 (A) 62002725 (B)	62003097			
62002726 (A) 62002727 (B)	62003099			
	62003096			
	62003095			
62002730 (A) 62002731 (B)	62003098			

matching accessories					
					
Skirting 60 2400 mm	Skirting 80 2400 mm	Quarter Round 2400 mm	T-profile 2400 mm	Reducer profile 2400 mm	Stair nose 1200 mm
63001167	63000009		63001455	63001537	63003669
63003220	63003242		63001428	63001510	63003714
63002991	63002993	63002995	63002997	63003001	63003667
63003067	63003097		63003127	63003187	63003715
63002992	63002994	63002996	63002998	63003002	63003716
63003068	63003098		63003128	63003188	63003717
63003218	63003240		63001441	63001523	63003718
63003219	63003241		63001445	63001527	63003719
63001170	63000234		63001458	63001540	63003720
63003222	63003244		63001449	63001531	63003668
63003223	63003245		63001418	63001500	63003721
63001174	63000241		63001461	63001543	63003722
63001171	63000220		63001459	63001541	63003723
63003215	63003237		63001436	63001518	63003727
63003216	63003238		63001423	63001505	63003724
63001186	9330-3893		63001471	63001553	63003726
63003082	63003112		63003142	63003202	63003736
63003083	63003113	63003292	63003143	63003203	63003737
63003084	63003114	63003293	63003144	63003204	63003739
63003085	63003115	63003294	63003145	63003205	63003738
63003211	63003233		63001421	63001503	63003750
63003212	63003234		63001420	63001502	63003751
63001132	63001207		63001426	63001508	63003752
63003213	63003235		63001425	63001507	63003753
63003214	63003236		63001427	63001509	63003754
63003064	63003094	63003273	63003124	63003184	63003710
63003063	63003093		63003123	63003183	63003666
63003065	63003095		63003125	63003185	63003711
63003062	63003092		63003122	63003182	63003712
63003066	63003096	63003275	63003126	63003186	63003713
63001181	9330-3856		63001468	63001550	63003725
63001175	9330-3488		63001462	63001544	63003670
63003221	63003243		63001444	63001526	63003728
63001172	63000237		63003423	63003424	63003729
63003056	63003086		63003116	63003176	63003730
63001162	9330-2915		63001450	63001532	63003731
63001166	9330-2503		63001454	63001536	63003732
63003076	63003106		63003136	63003196	63003733
63003077	63003107		63003137	63003197	63003734
63003217	63003239		63001955	63001961	63003735
63003081	63003111		63003141	63003201	63003740
63003080	63003110		63003140	63003200	63003741
63003079	63003109	63003288	63003139	63003199	63003743
63003078	63003108		63003138	63003198	63003742
63001177	9330-3636		63001464	63001546	63003744
63003224	63003246		63001432	63001514	63003745
63001165	9330-3013		63001453	63001535	63003746
63003225	63003247		63001415	63001497	63003747
63003226	63003248		63001414	63001496	63003748
63003227	63003249		63002879	63002883	63003749

Install.

underlays			hydro+ finish		
					
Excellence Plus	Excellence Impact+	Excellence Go 60	Hydro+ Set 2in1	Fillertwine	Sealant kit
SEPLUS10	63000905	63003600	63002897	63002899	HPSILICONE

installation tools		fixing	
			
DuoLoc Tapping Block	BerryAlloc Installation tool	Hydro+ Glue	Skirting Clips
63001777	63003584	HPGLUE	9310-0017

Finish.

white/paintable skirtings					
60 mm skirting	80 mm skirting	100 mm skirting	English skirting	Cover skirting	Quarter round
2400x12x60 mm	2400x12x80 mm	2400x14x100 mm	2400x14x110 mm	2400x26x110 mm	2400x14x14 mm
63003939	63003940	9372-3045	9370-3045	63001781	63001736

aluminium profiles			
			
Brushed steel optic	Silver	Silver	
T-profile	Reducer profile	End profile	
L x W x H	2000x31x9 mm	2000x40x12 mm	2000x21x11 mm
Silver (floor height 7-12 mm)	63001103	63001107	63001111
Silver (floor height 12-17 mm)	63001104	63001108	63001112
Brushed steel optic (floor height 7-12 mm)	63001105	63001109	63001113
Brushed steel optic (floor height 12-17 mm)	63001106	63001110	63001114

Maintain.

laminate cleaner

LC1000