



BERRY  ALLOC

HIGH PRESSURE FLOORS

The foundations of your next project

Exceptionally beautiful. Incredibly tough.
Undeniably Scandinavian.

A scenic landscape photograph showing a dense forest of trees with vibrant autumn foliage in shades of orange, yellow, and brown. The trees are reflected in a calm body of water in the foreground, which is partially obscured by a layer of white mist or steam rising from the water. The sky is filled with soft, white clouds. The overall mood is serene and majestic.

MADE IN NORWAY, SHAPED BY NATURE.

A land of majestic beauty, where nature writes its own rules.

The influence of Norway's majestic panorama can be felt in all aspects of BerryAlloc's high pressure floors, crafted to deal with extremes. Exceptionally beautiful and incredibly tough – thanks to a commercial usage class of 34 and an abrasion class 6 – these floors reflect the pinnacle of Scandinavian technology and design.

Find out how the world's strongest floors can feature in your interior project.

SCANDINAVIAN DESIGN.



The Scandinavian way of living is centred around simplicity, functionality, and a deep-rooted connection to nature. Embrace the Norwegian koselig – or cosy – lifestyle to create a space that radiates contentment.

Inspired by the beautiful Nordic landscapes, BerryAlloc's high pressure floors are the embodiment of Scandinavian design: timeless, yet modern looks of natural oak and soft, grey stone that serve as the perfect foundation for your interior project.

Every single decor has been carefully selected and designed by our team of experts in Lyngdal, Norway, resulting in a harmonious and balanced collection that reflects current and upcoming interior styles.



decor: Champs Elysees
collection: Grand Avenue



decor: Klint Oak 3 strip
collection: Original

"FLOORS THAT EMBODY THE ESSENCE OF SCANDINAVIAN LIVING."

TRENDING INTERIORS, TIMELESS FLOORS.

Trends come and go, but floors last a lifetime.

Our experts have studied current and upcoming interior trends and popular styles, meticulously creating a collection of high pressure floors that suit the tastes of our current timeline but will evolve alongside future favourites.


As a result of this research, three main styles were defined. Explore the story behind each style and how our floors bring character to every look.



TIMELESS DESIGN.

— a story of everlasting elegance.

Warm minimalism is a welcome respite in such a fast-paced world. Shut out the noise and create a calm, inviting space using timeless design classics. Our collections are carefully balanced with soft, natural tones that suit this look of simple luxury to perfection: beloved oaks, pure stone, or quintessential Scandinavian pine.



Create the interior look


Select a floor decor with few knots or cracks. As for the interior, seasonless, light colours – including neutral whites, beiges, browns, or pastels – work best with a timeless design.

Discover all the different floors that suit this look on p. 26.


TRADITIONAL WISDOM.

— honouring our heritage and time-old traditions.

Step back in time and learn from the wisdom of our ancestors. Celebrate traditional living and embrace the perfect imperfections of artisanal craftsmanship. Rustic floors, rich in character, honour those deep cultural ties to nature. Featuring several knots and cracks, and decors in dark oak, pine, ash, and chestnut, these floors will instantly bring back the best of the past through their authentic charm.



decor: Normannia Oak (front) - Botticini Terrazzo (back)
collection: Original



Create the interior look



Bold, rich colours, inspired by nature, work best here. Deep, warm, and earthy shades such as terracotta will pair wonderfully with floors full of character.

Discover all the different floors that suit this look on p. 28.

ECHOES OF HISTORY.

— a modern take on iconic designs.

Bring back the retro charm of the 50s, 60s, and 70s – with a contemporary twist. Iconic colours and nostalgic designs are in once again, with patterns taking centre stage – as highlighted by our Hasta La Vista decor and two or three-strip options. Warm, honey-coloured oak floors, along with other yellow and orange hues, perfectly capture the essence of the past century while still blending effortlessly into modern spaces.



Create the interior look

Embrace those retro vibes in both colour and style: combine a calmer floor with bold colours for a subtler look or go all-out with a patterned floor.

Discover all the different floors that suit this look on p. 32.



**"FLOORS ARE THE
FOUNDATIONS
ON WHICH
CREATIVITY IS
BUILT."**

SUSTAINABLE CERTIFICATIONS.

Scandinavian design isn't just about creating pretty interiors – it's also about respecting our nature, the world we live in, and committing to a more sustainable future. At BerryAlloc, we want to make sure our high pressure floors are created with great care for the environment, and with as little waste as possible.

Products are strategically manufactured in Europe, helping us reduce our carbon footprint. Building on environmental and safety guidelines, we've underlined our commitment to sustainability through the following certifications.

ENVIRONMENTAL PRODUCT DECLARATION (EPD)

A product-specific EPD in accordance with the ISO 14025 and EN 15804+A2. The EPD declaration number is EPD-BAC-20150179-CBA1-EN.

BREEAM INTERNATIONAL

High pressure floors contribute to your project by earning up to 17 BREEAM credits in 5 categories.

SUPPLY CHAIN DECLARATION PORTAL

BerryAlloc's high pressure floors are declared items in the Supply Chain Declaration Portal (SDCP) for New Buildings generation 4.



M1 EMISSION CLASSIFICATION OF BUILDING MATERIALS

A Finnish classification system, granted by Rakennustieto helps determine and improve indoor air quality. Products are ranked in three categories, of which the M1 classification is the best.

PEFC-CERTIFIED MATERIALS

Our high pressure floors are PEFC-certified (Programme for the Endorsement of Forest Certification), supporting the promotion of Sustainable Forest Management.

OTHER CERTIFICATIONS AND CLAIMS

CE, REACH, ISO 9001 (quality management), ISO 14001 (environmental management), ISO 45001 (safety management), fire resistance class Bfl-s1.

_____ Find more information about our certifications on www.berryalloc.com.

WHAT ABOUT CO₂ EMISSIONS?

Worried about how the products you choose impact the environment? Choosing a cradle-to-gate CO₂-negative floor is a step in the right direction. Our high pressure floors take the entire life cycle into account. Made with nature in mind, they're produced using natural materials and using our local green thermal energy.

—— Check out our flooring comparison guide on p. 60.

THE SCIENCE BEHIND CO₂ EMISSIONS.

Did you know that a tree absorbs approximately 25 kg of CO₂ every year? Our high pressure floors are primarily wood-based, with a kraft paper base and a premium HDF Core sourced from sustainably-managed European forests.

That means they capture approximately 4 kg of CO₂ per square meter. That's right: in choosing a high pressure floor, you're choosing a floor that positively contributes to lowering greenhouse gas emissions.

LET'S COMPARE.

The average living area of a house in Flanders (Belgium) is roughly 160 m². If you compare the environmental impact of the production of ceramic tiles to that of high pressure floors, this is what you can expect.

ceramic tiles

1760 kg
of CO₂ **released**
into the atmosphere.

high pressure floors


640 kg
of CO₂ **captured**
into the planks.

This means 2400 kg less CO₂ is released into the atmosphere. If that's tough to visualise, you can compare this to ...

- Driving 22 000 km with your car.
- Printing 24 000 000 sheets of paper.
- Watching 130 000 000 half-hour episodes on Netflix.


Sources

<https://ecotree.green/en/how-much-co2-does-a-tree-absorb> — High pressure floors Environmental Product Declaration (EPD) - EPD-BAC-20150179-CBA1-EN. — Ceramic tiles Environmental Product Declaration (EPD) - EPD



FLOORS FIT FOR ANY PROJECT.

Our high pressure floors aren't just here for the aesthetics: high quality and made to last, they will make sure your clients will get all that they asked for – and more. Discover all the reasons that make these floors a joy for your project.



THE BEST OF THE BEST: USAGE CLASS 34

Our high pressure floors hold a usage class of 34, meaning they're ideal for heavy-duty commercial traffic (including airports!) and residential use. Whatever project you're looking to design, these floors will answer all your needs.




EXTREMELY IMPACT RESISTANT

High pressure floors are the strongest floors for a reason: the thick, high-quality top layer consists of multiple layers and forms an exceptionally robust protective surface. It can withstand serious impact and still remain mark-free and undamaged.




SCRATCH RESISTANT

Want to know how our high pressure floors deal with challenges such as considerable foot traffic, office chairs, animal claws...? Impeccably so: an AC6 wear layer offers the highest protection available in its class. These floors are extremely scratch and stain-resistant, an ideal choice for intensive commercial traffic or a busy home life.




EQUIPPED WITH THE STRONGEST LOCK

AluLoc Prime, our unique and patented aluminium locking system, now features a lighter lock made of 100% recycled polymer on the short side of the Grand Avenue and Grand Majestic planks. The result? A floor that's even stronger with a lighter lock that uses less material and improves efficiency in transport and logistics.




IDEAL FOR LARGE AREAS

Thanks to our unique locking system, our high pressure floors are an ideal solution for large, heavy-traffic commercial areas. Why? There's no need for an expansion profile for areas smaller than 15 x 15 m. Let those planks take up all the space!




A SILENTSYSTEM TO REDUCE NOISE

Offered to you as part of our exclusive and Comfort ranges: this premium, sound-absorbing underlay is attached to the back of each plank and reduces noise by more than 19 decibels. This eliminates the requirement of a separate underlay and results in a quick and easy installation.



WATER RESISTANT

Got projects in rainy areas? Do some of your clients have clumsy, overenthusiastic children? You're all set, thanks to a water-resistant HDF Core and top layer protecting both the floor's surface and bevels.



MADE TO LAST A LIFETIME

Our high pressure floors are made from the best materials and are rigorously tested for strength, water resistance, impact damage, fading, and discolouration, as well as stability and wear. We wholeheartedly confirm that this floor meets the conditions of a lifetime warranty for residential use and a ten-year warranty for commercial use.

DISCOVER THE THREE COLLECTIONS.

198 x 1207 mm (standard)

Original

241 x 2410 mm (extra long)

Grand Avenue

303 x 2410 mm (extra long & extra wide)


Grand Majestic





MORE THAN JUST A PLANK.

Do you prefer a plank with no bevels or all four? Or would you prefer your high pressure floors with less noise through our attached SilentSystem pad? With Core or Comfort, you can choose a floor that's suited to the needs of your project.



CORE.

Without attached SilentSystem, available with standard 0, 2, or 4 bevels.

COMFORT.

With attached SilentSystem, available with standard 0, 2, 4 bevels, or 4 micro bevels.

EXPLORE THE DIFFERENT DECORS.

Your clients may prefer a classic look that's all elegance, floors with a bold, artisanal look, or a fun retro vibe – there's something for everyone. Timeless or trending, beloved or unique, our decors have been arranged to suit the different interior styles that represent today's design landscape. No matter the choice, you'll still bring the best of Scandinavian design to your interior project.

A COLOURFUL MATCH.

As you explore the collection, you'll discover that we've defined each floor's colour character – the subtle undertones that shape your floor's shade. Harmony Lab, our interior decoration concept, guides you in pairing this colour with other harmonious or contrasting tones to complete your interior style. Just look for the coloured dots.

TIMELESS DESIGN.

— a story of everlasting elegance.



1. **Via Roma**
Comfort 62002825
Skirting 63003629
T-profile 63003656
CC** yellow/purple
2. **Katla Arctic**
Comfort 62002835
Skirting 63003664
T-profile 63003689
CC** yellow
3. **Danish Pine**
Comfort 62002806 (GA)*
62002826 (GM)*
Skirting 63003656
T-profile 63003640
CC** yellow/red
4. **Loki Oak**
Comfort 62002812
Skirting 63003620
T-profile 63003647
CC** yellow
5. **Saga Oak**
Comfort 62002817
Skirting 63003618
T-profile 63003645
CC** yellow/red

6. **Normannia Oak**
Comfort 62002853
Skirting 63003610
T-profile 63003637
CC** yellow/orange
7. **Rodeo Drive**
Core 62002695 (GA)*
62002841 (O)*
Comfort 62002560 (GA)*
62002737 (O)*
Skirting 63000756
T-profile 63000769
CC** yellow
8. **Champs Elysees PRO**
Core 62002861
Comfort 62002593
Skirting 9320-8541
T-profile 9411-8541
CC** red
9. **Champs Elysees**
Core 62002694 (GA)*
62002840 (O)*
Comfort 62002559 (GA)*
62002738 (O)*
Skirting 9320-8541
T-profile 9411-8541
CC** red

10. **Dune Oak**
Comfort 62002121
Skirting 63002936
T-profile 63002967
CC** yellow
11. **Elegant Natural Oak**
Core 62002836
Comfort 62001238
Skirting 9320-4471
T-profile 9411-4471
CC** red
12. **Sunset boulevard**
Core 62002857 (GA)*
Comfort 62002587 (GA)*
62001354 (O)*
Skirting 63002296
T-profile 63002298
CC** red



13. **White Oiled Ash 3 strip**
Comfort 62001394
Skirting 9320-5113
T-profile 9411-5113
CC** orange
14. **Kjerag**
Comfort 62002854
Skirting 63003611
T-profile 63003638
CC** blue/yellow
15. **Light Oak Shipdeck**
Comfort 62001356
Skirting 9320-8531
T-profile 9411-8531
CC** green
16. **La Rambla**
Core 62002860
Comfort 62002592
Skirting 9320-5581
T-profile 9411-5581
CC** purple
17. **Magnificent Mile**
Core 62002858 (GA)*
Comfort 62002595 (GA)*
62001361 (O)*
Skirting 63001658
T-profile 63001659
CC** blue



BEAUTIFUL BASICS.


decor: Saga Oak
collection: Grand Avenue

(*) GA: Grand Avenue. GM: Grand Majestic. O: Original.
(**) Colour character: discover the science behind the colour character of your floor on www.berryalcol.com/harmony-lab.

Discover the interior look on p. 9.

TRADITIONAL WISDOM.

— honouring our heritage and time-old traditions.



1. Danish Pine

Comfort 62002806 (GA)*
62002826 (GM)*
Skirting 63003656
T-profile 63003640
CC** yellow/red

2. Katla Nordic

Comfort 62002834
Skirting 63003663
T-profile 63003688
CC** yellow

3. Ibiza Oak

Comfort 62002809 (GA)*
62002828 (GM)*
62002848 (O)*
Skirting 63003605
T-profile 63003632
CC** blue/red

4. Forest Pine

Comfort 62002807 (GA)*
62002827 (GM)*
Skirting 63003614
T-profile 63003641
CC** purple/red

5. Katla Natural

Comfort 62002832
Skirting 63003661
T-profile 63003686
CC** yellow

6. Eldar Oak

Comfort 62002813
Skirting 63003621
T-profile 63003648
CC** yellow/red

7. Embla Oak

Comfort 62002819
Skirting 63003623
T-profile 63003650
CC** yellow/red

8. Idunn Oak

Comfort 62002809
Skirting 63003617
T-profile 63003644
CC** blue/red

9. Etna Light Brown

Comfort 62002830
Skirting 63003660
T-profile 63003685
CC** orange

10. KuDamm

Core 62002696 (GA)*
62002839 (O)*
Comfort 62002579 (GA)*
62001358 (O)*
Skirting 9320-8520
T-profile 9411-8520
CC** yellow

11. Regent Street

Comfort 62002821
Skirting 63003625
T-profile 63003652
CC** blue/purple

12. Bond Oak

Comfort 62001380
Skirting 63001978
T-profile 63001996
CC** orange



STORIES OF THE PAST.

decor: York Oak
collection: Original

(*) GA: Grand Avenue. GM: Grand Majestic. O: Original.
(**) Colour character: discover the science behind the colour character of your floor on www.berryaloc.com/harmony-lab.

Discover the interior look on p. 11.



13. Balder Oak
 Comfort 62002815
 Skirting 63003616
 T-profile 63003643
 CC'' orange/red

14. Ventura Boulevard
 Core 62002859
 Comfort 62002605
 Skirting 63002957
 T-profile 63002988
 CC'' yellow

15. York Oak
 Comfort 62002851
 Skirting 63003608
 T-profile 63003635
 CC'' yellow/red

16. Etna Brown
 Comfort 62002831
 Skirting 63003659
 T-profile 63003684
 CC'' red

17. Copenhagen Oak
 Comfort 62002005
 Skirting 9320-4401
 T-profile 9411-4401
 CC'' purple


18. Broadway
 Core 62002862
 Comfort 62002588
 Skirting 9320-8530
 T-profile 9411-8530
 CC'' red

19. Botticini Terrazzo
 Comfort 62002855
 Skirting 63003658
 T-profile 63003665
 CC'' blue

20. Blackstone 20x40
 Core 62002837
 Comfort 62002130
 Skirting 63002942
 T-profile 63002973
 CC'' blue

ECHOES OF HISTORY.

— a modern take on iconic designs.



1. Via Giulia
 Comfort 62002824
 Skirting 63003628
 T-profile 63003655
 CC** yellow/orange

2. Eldar Oak
 Comfort 62002813
 Skirting 63003621
 T-profile 63003648
 CC** yellow/red

3. Fifth Avenue
 Comfort 62002820
 Skirting 63003624
 T-profile 63003651
 CC** orange/red

4. Santorini Oak
 Comfort 62002811 (GA)*
 62002829 (GM)*
 62002850 (O)*
 Skirting 63003607
 T-profile 63003634
 CC** orange

5. Marbella Oak
 Comfort 62002810 (GA)*
 62002849 (O)*
 Skirting 63003606
 T-profile 63003633
 CC** orange/red

6. Freya Oak
 Comfort 62002818
 Skirting 63003622
 T-profile 63003649
 CC** orange

7. Odin Oak
 Comfort 62002814
 Skirting 63003615
 T-profile 63003642
 CC** orange

8. Midland Oak
 Comfort 62002852
 Skirting 63003609
 T-profile 63003636
 CC** orange

9. Panderosa Pine
 Comfort 62002808
 Skirting 63003619
 T-profile 63003646
 CC** orange

10. Katla Natural Honey
 Comfort 62002833
 Skirting 63003662
 T-profile 63003687
 CC** orange

11. Harmony
 Comfort 62002856
 Skirting 63003612
 T-profile 63003639
 CC** orange/red

12. Golden Lane
 Comfort 62002823
 Skirting 63003627
 T-profile 63003654
 CC** orange/yellow

(*) GA: Grand Avenue. GM: Grand Majestic. O: Original.
 (**) Colour character: discover the science behind the colour character of your floor on www.berryalloc.com/harmony-lab.



BELOVED NOSTALGIA.

decor: Fifth Avenue
 collection: Grand Avenue

Discover the interior look on p. 13.



decor: Butterscotch Oak
collection: Original



13. Bergen Oak Shipdeck 2 strip

Comfort 62002845
Skirting 63001976
T-profile 63001994
CC'' yellow

14. Klint Oak 3 strip

Core 62002843
Comfort 62002846
Skirting 63003603
T-profile 63003630
CC'' orange

15. Bianco Oak 3 strip

Core 62002844
Comfort 62002847
Skirting 63003604
T-profile 63003631
CC'' yellow/orange

16. White Oak 2 strip

Comfort 62001384
Skirting 9320-5113
T-profile 9411-5113
CC'' red

17. Smoked Oak 2 strip

Comfort 62001390
Skirting 9320-5522
T-profile 9411-5522
CC'' orange

18. White Oiled Oak Shipdeck 2 strip

Comfort 62001396
Skirting 9320-3675
T-profile 9411-3675
CC'' red

19. Butterscotch Oak

Core 62002838
Comfort 62002122
Skirting 63002937
T-profile 63002968
CC'' orange

20. Natural Oak 2 strip

Core 62002742
Comfort 62001391
Skirting 9320-4592
T-profile 9411-4592
CC'' orange

21. Hasta La Vista

Core 62002842
Comfort 62001404
Skirting 9320-4411
T-profile 9411-5522
CC'' orange

22. Oiled Teak Shipdeck 2 strip

Comfort 62001393
Skirting 9320-4862
T-profile 9411-4862
CC'' orange


23. Botticini Terrazzo

Comfort 62002855
Skirting 63003658
T-profile 63003665
CC'' blue

PAVING THE WAY ACROSS THE WORLD.

Find inspiration in different projects that feature
our high pressure floors.


HEALTHCARE.
RESIDENTIAL.
HOSPITALITY.
LEISURE.
PUBLIC SPACES.
RETAIL.
EDUCATION CENTRES.
COMMERCIAL SPACES.
OFFICES.




HEALTHCARE.

Veterinary practice.
Ostend, Belgium.

decor: Butterscotch Oak
collection: Original



(*) The decor featured in this project is no longer in our collection.
But no worries, if you love this look, Original Elegant Oak is the perfect alternative!









The Villa by Frogner House.
Stavanger, Norway.

decor: Hasta La Vista
collection: Original



Hotel Pestera.
Romania.



decor: Champs Elysees PRO
collection: Grand Avenue



LEISURE.

Gårslev fitness centre.
Børkop, Denmark.

decor: Champs Elysees
collection: Grand Avenue





PUBLIC SPACES.

Kjevik Airport.
Kjevik, Norway.


decor: KuDamm
collection: Grand Avenue



RETAIL.

Art gallery BI-Z.
Kristiansand, Norway.

decor: Katla Nordic
collection: Grand Majestic



(*) The decor featured in this project is no longer in our collection.
But no worries, if you love this look, Original Copenhagen Oak is the perfect alternative!



Scherer Automobil Holding.
Germany.

decor: Blackstone
collection: Original

MORE INSPIRATION FROM AROUND THE WORLD.

reference	location	collection	m²	project type
Colegiul National Vasile Alecsandri	Central & Eastern Europe	Original	1 931 m²	Education centres
School Auditorium Dubai	Middle-East	Original, Grand Avenue & Grand Majestic	600 m²	Education centres
AC Bella Sky Hotel Copenhagen	Denmark	Original	10 000 m²	Hospitality
Ascott Hotel La Clef Champs-Élysées, Paris	France	Grand Avenue	2 000 m²	Hospitality
Bluewaters Dubai - Caesars Palace	Middle-East	Grand Avenue	6 079 m²	Hospitality
Crowne Plaza Hotel Istanbul	Turkey	Original	6 000 m²	Hospitality
Delano Hotel	Middle-East	Grand Avenue	4 000 m²	Hospitality
Emerald Harmony Cruise Ship	Vietnam	Grand Avenue	1 550 m²	Hospitality
Hilton Hotel	Turkey	Original	5 000 m²	Hospitality
Hotel IBIS Haguenau	France	Original	3 000 m²	Hospitality
Marriot Hotel	Turkey	Original	11 000 m²	Hospitality
Riviera Marriott hotel Monaco	France	Original	2 000 m²	Hospitality
Sandton Hotel Ghent	Belgium	Original	1 000 m²	Hospitality
SAP Sofia, Bulgaria	Central & Eastern Europe	Original	800 m²	Offices
Universal Music	Central & Eastern Europe	Original	600 m²	Offices.
Heathrow airport London	UK	Original	180 m²	Public spaces
Kjevik Airport Kristiansand	Norway	Grand Avenue	200 m²	Public spaces
Madrid Airport	Spain	Original	900 m²	Public spaces
Premium Apple dealers*	Worldwide	Original	5 000 m²	Retail
....				

(*) in a selected number of shops worldwide

IT'S ALL IN THE DETAILS.

Beauty and practicality go hand in hand when we're talking about high pressure floors. You're all set for a straightforward installation using our handy installation tools – and with our range of matching accessories, you'll be able to add those final, delicate touches to round off your interior project. The finish line is in sight: find out what you need to bring your project to a successful completion.



EASY INSTALLATION.

CORE.

Requires an additional underlay or a glued installation due to no attached SilentSystem.

COMFORT.

No underlay required due to attached SilentSystem.

UNDERLAYS

To prevent creaking, reduce walking sound, and improve living Comfort.




Excellence Plus

10 m² – 2,5 mm
SKU SEPLUS10



Excellence Go 60

15 m² – 2 mm
SKU 63003600



Silent System*

15 m² – 2 mm
SKU 180002

	Corrects irregularities and protects locking system	✓	✓	
	Impact sound The sound that gets carried to the room below	-21 dB	-19 dB	-19 dB
	Reduces walking sound The sound of your footsteps in the room	●●●●	●●○○	●●●○
	High impact resistance	●●○○	●●●○	●●●○
	Suitable for underfloor heating/cooling	●●●●	●●●○	●●●●
	Moisture barrier included	✓	✓	

* the SilentSystem is pre-attached to the plank, exclusively in the 'Comfort' sub collection.



decor: Panderosa Pine
collection: Grand Avenue

WANT TO LEARN ALL YOU CAN ABOUT OUR HIGH PRESSURE FLOORS?

Get in touch with your dedicated sales representative to visit the BerryAlloc Academy for an immersive learning session.



WOOD FLOOR GLUE

Only for Original Core and Grand Avenue Core. Covers areas up to 15 x 15 m and enhances acoustic Comfort. Eliminates the need for T-profiles.



STARTER KIT

Includes spacer blocks and metal pull bar.



TAPPING BLOCK

To use during installation for Original collection.



FILLERTWINE


Fill expansion gaps with Fillertwine to allow shrinking and expanding in a water-resistant installation. 10 m / Ø 6 mm

All installation instructions and technical files can be found on www.berryalloc.com.

ACCESSORIES.


PROFILES.

Choose profiles to smoothly connect one room to the other while respecting the expansion gap requirements.



T-PROFILE, MATCHING

To connect two rooms.
Adjustable height, 9 – 13 mm.
2400 x 44 mm (L x W)



ALU T-PROFILE

To connect two floors and hide expansion gaps.
Adjustable height, 7 – 12,3 mm.
2000 x 31,5 mm (L x W)



ALU REDUCER PROFILE

To connect two different heights.
Adjustable height, 7 – 12,3 mm.
2000 x 46 x 11,7 mm (L x W x H)



ALU END PROFILE

To provide a neat finish.
Adjustable height, 7 – 12,3 mm.
2000 x 20 x 7 – 12,3 mm (L x W x H)

SKIRTINGS.

Our skirtings bring a touch of elegance to any room, seamlessly bridging the gap between floor and wall.

SKIRTING, MATCHING

Available for every décor.
Installation: nail, glue, or clips.
2400 x 14 x 60 mm (L x W x H)

SKIRTING, PAINTABLE WHITE

Installation: glue or clips.
2400 x 14 x 60 mm (L x W x H)
2400 x 12 x 80 mm (L x W x H)
2400 x 14 x 100 mm (L x W x H)
2400 x 14 x 110 mm (L x W x H)

QUARTER ROUND, PAINTABLE WHITE

Installation: nail or glue.
2400 x 14 x 14 mm (L x W x H)

COVER SKIRTING, WHITE PAINTABLE

To install on top of existing skirting boards.
Installation: glue.
2400 x 14 x 110 mm (L x W x H)

INSTALLING THE SKIRTINGS

Use BerryAlloc glue or clips* and plugs to fix skirtings.

(*) Only for 60 and 80 mm

STAIRNOSE

Maintain the same look throughout your project: our stairnose perfectly matches our floors in colour and structure, providing a similar level of wear resistance.

MAINTENANCE.



CLEANER ULTRA

Are your clients asking questions about further maintenance? The Cleaner Ultra is an antibacterial cleaner, suitable for first-time maintenance and regular use. Rinsing is not necessary. Available in 1 litre.

YOUR FLOORING COMPARISON GUIDE.

Want to know how our high pressure floors measure up to other types of floors? We've compiled various popular flooring types and ten key features (rated on a scale of 5) for comparison.

Key flooring features	High pressure floors	Ceramic tiles	Vinyl	Laminate	Parquet	Carpet
Positive impact on the planet (CO ₂ score)	●●●●●	●○○○○	●●○○○	●●●●●	●●●●●	●●○○○
Impact resistance	●●●●●	●●●●○	●●●●○	●●●●○	●●●○○	●●●●●
Scratch resistance	●●●●●	●●●●●	●●●○○	●●●●●	●●●●○	●●●●●
Water resistance	●●●●○	●●●●●	●●●●●	●●●●○	●●●○○	●●○○○
Stain resistance	●●●●●	●●●●●	●●●○○	●●●●○	●●●●○	●●○○○
Sound absorption	●●●○○	●●○○○	●●●●○	●●●○○	●●●○○	●●●●●
Underfoot Comfort	●●●●○	●●○○○	●●●●○	●●●●○	●●●●●	●●●●●
Ease of installation	●●●●●	●●○○○	●●●●●	●●●●●	●●●●●	●●●○○
Ease of repairing or removing a damaged plank or tile	●●●●○	●●○○○	●●●●●	●●●●○	●●●●○	●●●○○
Total cost of installation	●●●●○	●●●●○	●●●●○	●●●○○	●●●●●	●●●○○



THE RESULT?

Overall, high pressure floors come out as the best possible alternative, compared to five other types of flooring.

decor: Katla Nordic
collection: Grand Majestic

TECHNICAL & COLLECTION OVERVIEW.

	/ original Core	/ original Comfort	/ grand avenue Core	/ grand avenue Comfort		/ grand majestic Comfort
Plank length	1207 mm		2410 mm			2410 mm
Plank width	198 mm		241 mm			303 mm
Plank thickness	9 mm	11 mm	10,3 mm	12,3 mm		12,3 mm
Bevels	0 - 2 - 20x40	0 - 2 - 4 - 20x40 shipdeck	4	4	4 micro	4 micro
SilentSystem		•		•	•	•
Usage class EN10874	34 - AC 6					
Residential Warranty	Lifetime					
Commercial Warranty	10 years					
Lock system	HighTec		AluLoc Prime			AluLoc Prime
Water resistance	•					
Floor heating compatibility	•					
Abrasion resistance EN13329	AC6					
Impact resistance small ball EN 13329	> 20 N					
Impact resistance big ball EN 13329	> 1600 mm					
Thickness swelling ISO24336	> 8 %					
Fire resistance EN13501-1	Bfl-S1					
Formaldehyde EN717-1	E1: < 0,03					
Slipperiness EN13893	≥ 0,50 (DS)					
Density EN323	NA					
Resistance to staining EN438	rating 5					
Effect of a furniture leg EN16581	No visible damage when tested with foot type 0					
Effect of a castor chair EN425	No damage or visible change in appearance at 25.000 rev. with hard wheels (type H)					
Thermal resistance in combination with Silent System	0,12 m² K/W		0,13 m² K/W			0,13 m² K/W
CE mark	•		•			•
UKCA mark	•		•			•
PEFC*	•		•			•
French VOC emission regulation	A class		A class			A class
Planks/pack	Core:9 Comfort: 8		4			3
m²/pack	Core: 2,15 m² Comfort: 1,9119 m²		2,32322			2,1907
Weight/pack kg**	Core: 17,5 Comfort:16,7		Core: 22,1 Comfort: 23,8			22,3
Packs/pallet	36		39			42
m²/pallet	Core: 77,43 m² Comfort: 68,83 m²		90,61			92,01
Weight/pallet kg**	Core: 650 kg Comfort: 622 kg		Core: 898,6 Comfort: 959			977

(*) All our wood is sourced from sustainably managed forests (PEFC Certified) that meet the strictest environmental, social, and economic requirements.
(**) The numbers shown in this overview may still be subject to change.

Structure
WS Wood structure
WSOT Wood structure oiled touch
OT Oiled touch
BR Brushed
LGC Low gloss concrete
WG Wood grain
RWG Rustic wood grain

Harmony Lab
Colour character
yellow
purple
red
green
orange
blue

Plank length

Plank width

Plank thickness

Usage class

SilentSystem

1207 mm

198 mm

9 mm


11 mm

class 34 - AC 6

•

/ original
Core

/ original
Comfort

/ original.	Decor	Structure	Bevels		
	Bergen Oak Shipdeck 2 strip	WSOT	shipdeck		62002845
	Bianco Oak 3 strip	RWG	0	62002844	62002847
	Blackstone 20x40	LGC	tiles 20x40	62002837	62002130
	Bond Oak	WSOT	2		62001380
	Botticini Terrazzo	LGC	0		62002855
	Butterscotch Oak	WSOT	2	62002838	62002122
	Champs Elysees	WSOT	2	62002840	62002738
	Copenhagen Oak	WSOT	2		62002005
	Dune Oak	WSOT	2		62002121
	Elegant Natural Oak	WSOT	2	62002836	62001238
	Harmony	WS	0		62002856
	Hasta La Vista	BR	0	62002842	62001404
	Ibiza Oak	RWG	2		62002848
	Kjerag	LGC	0		62002854
	Klint Oak 3 strip	RWG	0	62002843	62002846
	KuDamm	WSOT	2	62002839	62001358
	Light Oak Shipdeck	WSOT	shipdeck		62001356
	Magnificent Mile	WSOT	2		62001361
	Marbella Oak	RWG	2		62002849
	Midland Oak	RWG	4		62002852
	Natural Oak 2 strip	WSOT	0	62002742	62001391
	Normannia Oak	RWG	4		62002853
	Oiled Teak Shipdeck 2 strip	OT	shipdeck		62001393
	Rodeo Drive	WSOT	2	62002841	62002737
	Santorini Oak	RWG	2		62002850

Plank length
Plank width
Plank thickness
Usage class
SilentSystem

1207 mm	
198 mm	
9 mm	11 mm
class 34 - AC 6	
	•
/ original Core	/ original Comfort

/ original.

	Decor		Structure	Bevels
	Smoked Oak 2 strip		WSOT	0
	Sunset Boulevard		WSOT	4
	White Oak 2 strip		OT	0
	White Oiled Ash 3 strip		OT	0
	York Oak		RWG	4
	White Oiled Oak Shipdeck 2 strip		WSOT	shipdeck

	62001390
	62001354
	62001384
	62001394
	62002851
	62001396

Plank length
Plank width
Plank thickness
Usage class
SilentSystem

2410 mm
303 mm
12,3 mm
34 - AC 6
•
/ grand majestic Comfort

/ grand majestic.

	Decor		Structure	Bevels
	Danish Pine		RWG	4 micro
	Etna Brown		RWG	4 micro
	Etna Light Brown		RWG	4 micro
	Forest Pine		RWG	4 micro
	Ibiza Oak		RWG	4 micro
	Katla Arctic		RWG	4 micro
	Katla Natural Honey		RWG	4 micro
	Katla Natural		RWG	4 micro
	Katla Nordic		RWG	4 micro
	Santorini Oak		RWG	4 micro

62002826
62002831
62002830
62002827
62002828
62002835
62002833
62002832
62002834
62002829

Plank length
Plank width
Plank thickness
Usage class
SilentSystem

2410 mm	
241 mm	
10,3 mm	12,3 mm
class 34 - AC 6	
	•
/ grand avenue Core	/ grand avenue Comfort


/ grand avenue.

	Decor		Structure	Bevels
	Balder Oak		WG	4 micro
	Broadway		WSOT	4
	Champs Elysees		WSOT	4
	Champs Elysees PRO		WS	4
	Danish Pine		RWG	4 micro
	Eldar Oak		WG	4 micro
	Embla Oak		RWG	4 micro
	Fifth Avenue		RWG	4 micro
	Forest Pine		RWG	4 micro
	Freya Oak		RWG	4 micro
	Golden Lane		RWG	4 micro
	Ibiza Oak		RWG	4 micro
	Idunn Oak		RWG	4 micro
	KuDamm		WSOT	4
	La Rambla		WSOT	4
	Loki Oak		WG	4 micro
	Magnificent Mile		WSOT	4
	Marbella Oak		RWG	4 micro
	Odin Oak		WG	4 micro
	Panderosa Pine		RWG	4 micro
	Park Avenue		RWG	4 micro
	Regent Street		RWG	4 micro
	Rodeo Drive		WSOT	4
	Saga Oak		RWG	4 micro
	Santorini Oak		RWG	4 micro
	Sunset Boulevard		WSOT	4
	Ventura Boulevard		WSOT	4
	Via Giulia		WG	4 micro
	Via Monte		WSOT	4
	Via Roma		WG	4 micro

	62002815
62002862	62002588
62002694	62002559
62002861	62002593
	62002806
	62002813
	62002819
	62002820
	62002807
	62002818
	62002823
	62002809
	62002816
62002696	62002579
62002860	62002592
	62002812
62002858	62002595
	62002810
	62002814
	62002808
	62002822
	62002821
62002695	62002560
	62002817
	62002811
62002857	62002587
62002859	62002605
	62002824
62002697	62002601
	62002825

INTERESTED?

Looking to install BerryAlloc's high pressure floors in your next interior project? Get a head start and access our full tender documents through the QR code below.



ORIGINAL.


- Available in planks with 0, 2, or 4 standard bevels, depending on the chosen decor
- 41 different decors available
- 6 different surfaces available
- 9 mm thickness
- Optional pre-attached SilentSystem with 25% room sound reduction and 19 dB in walking sound
- HighTech Loc locking system with a strength of min. 1200 kg/m, giving the possibility of floating installation of 225 m² (15 x 15 m) without expansion profiles (unlimited if glued using the BerryAlloc wood floor glue)
- Floating installation (with moisture barrier 200 µm) or glued installation (without underlay), installed according to the installation rules
- Lifetime residential warranty and 10-year commercial warranty

GRAND AVENUE.

- Available in planks with 4 standard bevels or 4 micro bevels, depending on the chosen decor
- 40 different decors available
- 4 different surfaces available
- 10,3 mm thickness
- Pre-attached SilentSystem with 25% room sound reduction and 19 dB in walking sound
- AluLoc Prime locking system with a strength of min. 1200 kg/m, giving the possibility of floating installation of 225 m² (15 x 15 m) without expansion profiles (unlimited if glued using the BerryAlloc wood floor glue)
- Floating installation (with moisture barrier 200 µm) or glued installation (without underlay), installed according to the installation rules
- Lifetime residential warranty and 10-year commercial warranty

GRAND MAJESTIC.

- Available in planks with 4 micro bevels
- 10 different decors available
- 1 surface available
- 10,3 mm thickness
- Pre-attached SilentSystem with 25% room sound reduction and 19 dB in walking sound
- AluLoc Prime locking system with a strength of min. 1200 kg/m, giving the possibility of floating installation of 225 m² (15 x 15 m) without expansion profiles (unlimited if glued using the BerryAlloc wood floor glue)
- Floating installation (with moisture barrier 200 µm) or glued installation (without underlay), installed according to the installation rules
- Lifetime residential warranty and 10-year commercial warranty



Floors for moments of joy.

BERRY  **ALLOC**

Alloc AS
Fiboveien 26
4580 Lyngdal, Norway
T 38 34 22 00
info@berryalloc.com

berryalloc.com