


PERGO®

ORIGINAL LAMINATE
COLLECTION 2026

FOR PARTNERS & PROFESSIONALS





1. SUPERIOR WEAR AND SCRATCH RESISTANCE LAYER
2. EVERLASTING DECOR
3. HIGH-PERFORMING HDF CORE
4. BACK STABILISER



SUPERIOR DURABILITY
For all-round domestic use
and medium commercial use.
Up to lifetime warranty*.



PRO: OUTSTANDING DURABILITY
For areas with heavy
commercial use.
Lifetime warranty*.



**UPON REQUEST
PRO X: EXTREME DURABILITY**
For areas with very heavy
commercial use.
Lifetime warranty*.

FEATURES		CLASS 32	CLASS 33	CLASS 34
TITANX™		•	•	•
SCRATCH RESISTANT		•	•	•
AQUASAFE TECHNOLOGY*		•	•	•
PERFECTFOLD™		•	•	•
UNICLIC®		•	•	•
UNIZIP®		•	•	•
ANTISTATIC		•	•	•
HYGIENIC		•	•	•
WOOD FROM SUSTAINABLY MANAGED FORESTS, PEFC CERTIFIED		•	•	•
ENVIRONMENTAL LABEL NORDIC ECOLABEL AND EU ECOLABEL		•	•	•
RESIDENTIAL WARRANTY**		up to lifetime	lifetime	lifetime
TECHNICALS		STANDARD		
CLASS OF USE	EN ISO 10874	32	33	34
FIRE CLASSIFICATION	EN 13501	Cfl-s1 (Bfl-st: Lillehammer)	Cfl-s1 (Bfl-st: Lillehammer Pro & Perstorp Pro)	Bfl-s1
FORMALDEHYDE EMISSION	EN 717-1	E0,5	E0,5	E0,5
VOC EMISSION	agBB/DIBt	•	•	•
WEAR RESISTANCE	EN 13329	AC4	AC5	AC6
IMPACT RESISTANCE	EN17368 EN13329	small ball: ≥ 35 mm big ball: ≥ 600 mm	small ball: ≥ 70 mm big ball: ≥ 750 mm	small ball: ≥ 120 mm big ball: ≥ 1600 mm
RESISTANCE TO CASTOR CHAIR (WITH UNDERLAY)	EN ISO 4918	no damage	no damage	no damage
SLIP RESISTANCE	EN 13893	class DS	class DS	class DS
THERMAL RESISTANCE	EN 12667	0,05 m² K/W 0,06 m² K/W (for laminate with thickness 9 and 9,5 mm)	0,05 m² K/W 0,06 m² K/W (for laminate with thickness 9 and 9,5 mm)	0,06 m² K/W
BODY VOLTAGE	EN 1815	≤ 2 kV (antistatic)	≤ 2 kV (antistatic)	≤ 2 kV (antistatic)

PERGO WARRANTY

The use of accessories other than genuine Pergo accessories can damage your Pergo floor. In this case, the warranty offered by Pergo will no longer be valid. We advise you to only use Pergo accessories that are specifically designed to use with Pergo floor panels.

* For full warranty conditions, go to pergo.com.

** If full installation instructions (please see pergo.com) are not followed, the warranty is void.

WHY PERGO LAMINATE FLOORS?



HIGH RESISTANCE TO SCRATCHES AND WEAR

Every plank is covered with our patented TitanX™ protection. This gives the floor high resistance to scratches and wear.



WATERPROOF* AND EASY TO CLEAN

All our laminate floors have AquaSafe technology, which keeps your floor waterproof and simple to clean. The floors come with a wet warranty up to 15 years**.



NATURAL LOOK & FEEL

All our laminate floors are incredibly true to nature in their design and structure. Additionally, the floor will maintain its color and will not fade over time.



EASY TO INSTALL

Just click into place with the glueless PerfectFold™ or Uniclic® click system.



PERFECT FINISH

From faultless installation, to seamless finishing and worry-free maintenance of your beautiful new floor. Choose from the wide range of accessories.



UP TO LIFETIME WARRANTY**

All Pergo laminate floors come with an up to lifetime warranty, so that you can live life to the fullest, without worrying.

* Tested according to ISO 4760 (no leakage) and is not following EN13553 standards designed for welded resilient floor coverings.

** For full warranty conditions, go to pergo.com.



RESISTANT TO SCRATCHES & WEAR

TITANX™ – TOUGH PER DEFAULT

Every plank of a Pergo laminate floor is covered with our patented TitanX™ technology, which means it has high resistance to wear and scratches.

This superior toplayer ensures those high traffic areas like kitchens, hallways and living rooms are well protected.



WATERPROOF

BECAUSE LIFE'S TOO SHORT
TO WORRY ABOUT WATER

All Pergo laminate floors have AquaSafe, our in-house developed technology that creates a sealed, waterproof* surface all the way down into the bevels, preventing water from penetrating the floor. It simply stands on the surface and you can easily wipe it away.



* Tested according to ISO 4760 (no leakage) and is not following EN13553 standards designed for welded resilient floor coverings.



NATURAL ON A WHOLE OTHER LEVEL

SENSATION FLOORS - SEE AND FEEL THE DIFFERENCE

With Pergo Sensation laminate (Odense, Lillehammer, Visby, Bergen, Kungshamn), you won't believe it's not real wood. It offers the look of nature with authentic shades and grains, combined with a deep tactile structure and a warm, matte finish.

- Deeper, more authentic structure
- Waterproof 4V Premium bevel with extra natural look
- Matte finish for a sophisticated feel

Deep, authentic, and tactile structure, finished with a matte surface.



4V PREMIUM BEVEL

The wood pattern on the floor extends into the bevels, creating a smooth, harmonious look.

4V OPTICAL BEVEL

The floor collections with an optical bevel (Drammen) create the illusion of a small bevel, an effect that appears either distinct or subtle depending on the viewing angle.



NO BEVEL


The floor collections without a bevel (Perstorp, Espoo) provide a smooth, continuous surface that is easy to clean.



OUR COLLECTIONS

Scandinavian never goes out of style. The same goes for functional design. Our complete range of Pergo laminates delivers just that. Whether you want the high-quality feel of Odense's long planks, the natural look of Lillehammer or the minimalistic infinite look of Perstorp, there's a floor to fill your every need.

And all of them are designed to be durable and have a completely waterproof surface. These are the reasons why Pergo laminate floors have become true representatives of Scandinavian functional design. So your kitchen, hallway, bedroom or living room is a pleasure to come home to. Always.



		UNIQUE PLANKS	SENSATION	AQUASAFE	BEVELS	WET WARRANTY	WARRANTY CLASS 32	WARRANTY CLASS 33
ODENSE	2050 × 240 × 9,5 mm	16 (7,87 m ²)	•	•	4	15 years	lifetime	lifetime
NEW LILLEHAMMER	1380 × 212 × 9 mm	18 (5,27 m ²)	•	•	4	15 years	lifetime	lifetime
UPDATE VISBY	1380 × 190 × 8 mm	20 (5,25 m ²)	•	•	4	15 years	lifetime	lifetime
NEW KUNGSHAMN	655 × 131 × 8 mm	56 (4,80m ²)	•	•	4	15 years	lifetime	
BERGEN	1380 × 156 × 8 mm	12 (2,58m ²)	•	•	4	15 years	lifetime	lifetime
DRAMMEN	1200 × 190 × 8 mm	10 (2,28m ²)		•	4	10 years	lifetime	
PERSTORP	1200 × 190 × 8 mm	10 (2,28m ²)		•	0	10 years	lifetime	lifetime
ESPOO	1200 × 190 × 7 mm	10 (2,28m ²)		•	0	10 years	20 years	



ODENSE

4V PREMIUM BEVEL



length	width	thickness	unique planks	panels / pack	m ² / pack	pack / pallet	m ² / pallet
2050 mm	240 mm	9,5 mm	16	6	2,952 m ²	33	97,416 m ²



CLAY OAK

● PRO L0263-06791
● L0363-06791



OATMEAL OAK

● PRO L0263-06792
● L0363-06792



MALT OAK

● PRO L0263-06793
● L0363-06793



CLOUDED OAK

● PRO L0263-06794
● L0363-06794



CLEAR OAK

● PRO L0263-06795
● L0363-06795



VIBRANT OAK

● PRO L0263-06796
● L0363-06796



DUSK OAK

● PRO L0263-06797
● L0363-06797



FOLK

● PRO L0263-06798
● L0363-06798



GLACIER OAK

● PRO L0263-06799
● L0363-06799



SOLSTICE OAK

● PRO L0263-06800
● L0363-06800



BEAUFORT OAK

● PRO L0263-06801
● L0363-06801



RUSTIC CHARM

● PRO L0263-06802
● L0363-06802



RUSTIC SMOKE

● PRO L0263-06803
● L0363-06803

ODENSE MATCHING ACCESSORIES



STANDARD SKIRTING



PARQUET SKIRTING



**5-IN-1 INCIZO®
PROFILE**



**COMMERCIAL
EXPANSION PROFILE**



COLOURED SEALANT

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGINCP(-) 2150 × 13 × 48 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0x63-06791	06791	06791	06791	06791	PGKIT18B
L0x63-06792	06792	06792	06792	06792	PGKIT18B
L0x63-06793	06793	06793	06793	06793	PGKIT10B
L0x63-06794	06794	06794	06794	06794	PGKIT02B
L0x63-06795	06795	06795	06795	06795	PBKIT09B
L0x63-06796	06796	06796	06796	06796	PGKIT09B
L0x63-06797	06797	06797	06797	06797	PGKIT04B
L0x63-06798	06796	06796	06796	06796	PGKIT09B
L0x63-06799	06799	06799	06799	06799	PGKIT19B
L0x63-06800	06800	06800	06800	06800	PGKIT09B
L0x63-06801	06801	06801	06801	06801	PGKIT10B
L0x63-06802	06802	06802	06802	06802	PGKIT10B
L0x63-06803	06803	06803	06803	06803	PGKIT17B

INCIZO® SUBPROFILE | NEINCPBASE6 | 2150 × 71 × 20 mm
The Incizo® subprofile is required for stair application
and has to be ordered separately.

NEW
LILLEHAMMER

4V PREMIUM BEVEL



length	width	thickness	unique planks	panels / pack	m ² / pack	pack / pallet	m ² / pallet
1380 mm	212 mm	9 mm	18	7	2,048 m ²	52	106,500 m ²



HAZELWOOD OAK*
 ● PRO L0274-08303
 ● L0374-08303



IVORY OAK*
 ● PRO L0274-08304
 ● L0374-08304



SILK OAK*
 ● PRO L0274-08305
 ● L0374-08305



CHESTNUT GLOW OAK
 ● PRO L0274-08306
 ● L0374-08306



BRONZE OAK
 ● L0374-08307



AMBERGRAIN OAK
 ● PRO L0274-08308
 ● L0374-08308



HARVEST OAK
 ● L0374-08309



AUBURN OAK
 ● PRO L0274-08310
 ● L0374-08310

* The following 3 references are a 100% match to the Kungshamn references:

L0x44-08303 → L0372-08244
 L0x44-08304 → L0372-08246
 L0x44-08305 → L0372-08248

LILLEHAMMER MATCHING ACCESSORIES



**STANDARD
SKIRTING**



**PARQUET
SKIRTING**



**5-IN-1 INCIZO®
PROFILE**



**COMMERCIAL
EXPANSION
PROFILE**



**STAIR COVER -
BULLNOSE**



**COLOURED
SEALANT**

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGINCP(-) 2150 × 13 × 48 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGSTRBLIL(-)120 1200 × 135 × 59 mm	PGKIT(-)B 310 ml
L0x74-08303	08256	08256	08256	08256	08303	PGKIT10B
L0x74-08304	08246	08246	08246	08246	08304	PGKIT02B
L0x74-08305	08305	08305	08305	08305	08305	PGKIT02B
L0x74-08306	08306	08306	08306	08306	08306	PGKIT09B
L0374-08307	08307	08307	08307	08307	08307	PGKIT15B
L0x74-08308	08308	08308	08308	08308	08308	PGKIT02B
L0374-08309	08309	08309	08309	08309	08309	PGKIT09B
L0x74-08310	08310	08310	08310	08310	08310	PGKIT04B

INCIZO® SUBPROFILE | NEINCPBASE11 | 2150 × 71 × 20 mm
The Incizo® subprofile is required for stair application
and has to be ordered separately.

UPDATE
VISBY

4V PREMIUM BEVEL



length	width	thickness	unique planks	panels / pack	m ² / pack	pack / pallet	m ² / pallet
1380 mm	190 mm	8 mm	20	7	1,835 m ²	60	110,100 m ²



NEW ENGLAND OAK
● PRO L0271-03369
● L0371-03369



FARMHOUSE OAK
● PRO L0271-03371
● L0371-03371



COASTAL OAK
● PRO L0271-03374
● L0371-03374



MIDSUMMER LIGHT OAK
● L0371-08295



SUNWASH OAK
● PRO L0271-08296
● L0371-08296



AMBERLIGHT OAK
● L0371-08297



DRIFTWOOD BROWN OAK
● L0371-08298



CLAYSTONE OAK
● L0371-08299



SMOKEWOOD OAK
● PRO L0271-08300
● L0371-08300



SAND DRIFT OAK
● PRO L0271-08301
● L0371-08301



BLUSH OAK
● L0371-08302



LINEN GREY OAK
● L0371-08474

VISBY MATCHING ACCESSORIES



**STANDARD
SKIRTING**

**PARQUET
SKIRTING**

**5-IN-1 INCIZO®
PROFILE**

**COMMERCIAL
EXPANSION
PROFILE**

**STAIR COVER -
BULLNOSE**

**COLOURED
SEALANT**

**ART. NO
DIMENSIONS**

PGSK(-)
2400 × 12 × 58 mm

PGPSK(-)
2400 × 14 × 77 mm

PGINCP(-)
2150 × 13 × 48 mm

PGEXPC(-)
2350 × 50 × 9,5 mm

PGSTRBVIS(-)120
1200 × 113 × 59 mm

PGKIT(-)B
310 ml

L0x71-03369	03369	03369	03369	03369	03369	PGKIT18B
L0x71-03371	03371	03371	03371	03371	03371	PGKIT15B
L0x71-03374	03374	03374	03374	03374	03374	PGKIT02B
L0371-08295	08295	08295	08295	08295	08295	PGKIT02B
L0x71-08296	08296	08296	08296	08296	08296	PGKIT02B
L0371-08297	08297	08297	08297	08297	08297	PGKIT09B
L0371-08298	08298	08298	08298	08298	08298	PGKIT10B
L0371-08299	08299	08299	08299	08299	08299	PGKIT02B
L0x71-08300	08300	08300	08300	08300	08300	PGKIT09B
L0x71-08301	08301	08301	08301	08301	08301	PGKIT02B
L0371-08302	08302	08302	08302	08302	08302	PGKIT10B
L0371-08474	08474	08474	08474	08474	08474	PGKIT18B

INCIZO® SUBPROFILE | NEINCPBASE8 | 2150 × 71 × 20 mm
The Incizo® subprofile is required for stair application
and has to be ordered separately.

NEW
KUNGSHAMN

4V PREMIUM BEVEL



length	width	thickness	unique planks	panels / pack	m ² / pack	pack / pallet	m ² / pallet
655 mm	131 mm	8 mm	56	14	1,201 m ²	72	86,472 m ²



HAZELWOOD OAK*
● L0372-08244



IVORY OAK*
● L0372-08246



SILK OAK*
● L0372-08248



HERITAGE OAK
● L0372-08249



CRAFT OAK
● L0372-08250



SMOKED AMBER OAK
● L0372-08251

* The following 3 references are a 100% match to the Lillehammer references:
L0372-08244 → L0x44-08303
L0372-08246 → L0x44-08304
L0372-08248 → L0x44-08305

KUNGSHAMN MATCHING ACCESSORIES



STANDARD SKIRTING

PARQUET SKIRTING

5-IN-1 INCIZO®
PROFILE

COMMERCIAL
EXPANSION PROFILE

COLOURED SEALANT

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGINCP(-) 2150 × 13 × 48 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0372-08244	08256	08256	08256	08256	PGKIT10B
L0372-08246	08246	08246	08246	08246	PGKIT02B
L0372-08248	08305	08305	08305	08305	PGKIT09B
L0372-08249	08249	08249	08249	08249	PGKIT09B
L0372-08250	08250	08250	08250	08250	PGKIT04B
L0372-08251	08251	08251	08251	08251	PGKIT10B

BERGEN

4V PREMIUM BEVEL



length	width	thickness	unique planks	panels / pack	m ² / pack	pack / pallet	m ² / pallet
1380 mm	156 mm	8 mm	12	8	1,722 m ²	60	103,320 m ²



COMFORT GREY OAK

● PRO L0246-05007
● L0346-05007



RAILWAY OAK

● PRO L0246-05008
● L0346-05008



COLOGNE OAK

● PRO L0246-05009
● L0346-05009



PIER OAK

● PRO L0246-05010
● L0346-05010



VIENNA OAK

● PRO L0246-05011
● L0346-05011



PORTMAN WALNUT

● PRO L0246-05012
● L0346-05012



RED CLAY TEAK

● PRO L0246-05021
● L0346-05021



TROMSDALEN OAK

● PRO L0246-05022
● L0346-05022

BERGEN MATCHING ACCESSORIES



STANDARD SKIRTING



PARQUET SKIRTING



5-IN-1 INCIZO®
PROFILE



COMMERCIAL
EXPANSION PROFILE



COLOURED SEALANT

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGINCP(-) 2150 × 13 × 48 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0x46-05007	05007	05007	05007	05007	PGKIT16B
L0x46-05008	05008	05008	05008	05008	PGKIT10B
L0x46-05009	05009	05009	05009	05009	PGKIT04B
L0x46-05010	05010	05010	05010	05010	PGKIT09B
L0x46-05011	05011	05011	05011	05011	PGKIT09B
L0x46-05012	05012	05012	05012	05012	PGKIT15B
L0x46-05021	05021	05021	05021	05021	PGKIT14B
L0x46-05022	05022	05022	05022	05022	PGKIT02B

INCIZO® SUBPROFILE | NEINCPBASE8 | 2150 × 71 × 20 mm
 The Incizo® subprofile is required for stair application
 and has to be ordered separately.

DRAMMEN

4V OPTICAL BEVEL



length	width	thickness	unique planks	panels / pack	m ² / pack	pack / pallet	m ² / pallet
1200 mm	190 mm	8 mm	10	7	1,596 m ²	64	102,144 m ²



BROWN LEATHERED OAK
● L0348-05013



SANDWAVE OAK
● L0348-05014



WHITE GLOOM OAK
● L0348-05015



ISLA OAK
● L0348-05016



RICARD OAK
● L0348-05017



CAPPUCCINO OAK
● L0348-05018



CORNWALL OAK
● L0348-05019



DARTMOOR OAK
● L0348-05020

DRAMMEN MATCHING ACCESSORIES



STANDARD SKIRTING

PARQUET SKIRTING

5-IN-1 INCIZO®
PROFILE

COMMERCIAL
EXPANSION PROFILE

COLOURED SEALANT

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGINCP(-) 2150 × 13 × 48 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0348-05013	05013	05013	05013	05013	PGKIT17B
L0348-05014	05014	05014	05014	05014	PGKIT09B
L0348-05015	05015	05015	05015	05015	PGKIT01B
L0348-05016	05016	05016	05016	05016	PGKIT18B
L0348-05017	05017	05017	05017	05017	PGKIT10B
L0348-05018	05018	05018	05018	05018	PGKIT04B
L0348-05019	05019	05019	05019	05019	PGKIT10B
L0348-05020	05020	05020	05020	05020	PGKIT16B

INCIZO® SUBPROFILE | NEINCPBASE9 | 2150 × 71 × 20 mm
 The Incizo® subprofile is required for stair application
 and has to be ordered separately.

PERSTORP

NO BEVEL



length	width	thickness	unique planks	panels / pack	m ² / pack	pack / pallet	m ² / pallet
1200 mm	190 mm	8 mm	10	7	1,596 m ²	48	76,608 m ²



NATURAL OAK
● PRO L0270-01804
● L0370-01804



NATURAL HONEY OAK
● L0370-04085



BEIGE SAND OAK
● PRO L0270-04093
● L0370-04093



NATURAL BEIGE OAK
● L0370-04390



WARM NATURAL OAK
● PRO L0270-04394
● L0370-04394



VINEYARD OAK
● L0370-05023

PERSTORP MATCHING ACCESSORIES



STANDARD SKIRTING

PARQUET SKIRTING

5-IN-1 INCIZO®
PROFILE

COMMERCIAL
EXPANSION PROFILE

COLOURED SEALANT

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGINCP(-) 2150 × 13 × 48 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0x70-01804	01731	01731	01731	01731	PGKIT04B
L0370-04085	04085	04085	04085	04085	PGKIT10B
L0x70-04093	04093	04093	04093	04093	PGKIT02B
L0370-04390	04390	04390	04390	04390	PGKIT10B
L0x70-04394	04394	04394	04394	04394	PGKIT09B
L0370-05023	05023	05023	05023	05023	PGKIT09B

INCIZO® SUBPROFILE | NEINCPBASE2 | 2150 × 71 × 20 mm
 The Incizo® subprofile is required for stair application
 and has to be ordered separately.

ESPOO

NO BEVEL



length	width	thickness	unique planks	panels / pack	m ² / pack	pack / pallet	m ² / pallet
1200 mm	190 mm	7 mm	10	8	1,824 m ²	64	116,736 m ²



RIVER OAK
● L0364-04389



NATURAL BEIGE OAK
● L0364-04390



WARM NATURAL OAK
● L0364-04394



WATERFRONT OAK
● L0364-04395

ESPOO MATCHING ACCESSORIES



STANDARD SKIRTING



PARQUET SKIRTING



**5-IN-1 INCIZO®
PROFILE**



**COMMERCIAL
EXPANSION PROFILE**



**COLOURED
SEALANT**

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGINCP(-) 2150 × 13 × 48 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0364-04389	04389	04389	04389	04389	PGKIT18B
L0364-04390	04390	04390	04390	04390	PGKIT10B
L0364-04394	04394	04394	04394	04394	PGKIT09B
L0364-04395	04395	04395	04395	04395	PGKIT16B

INCIZO® SUBPROFILE | NEINCPBASE1 | 2150 × 71 × 20 mm
The Incizo® subprofile is required for stair application
and has to be ordered separately.



YOUR FLOOR – FINISHED IN STYLE

Choose from our wide range of accessories to give your interior that perfectly finished look. From seamless transitions to stairs or walls, silent underlays to improve your comfort or a skirting that finishes off the room in style. Details make perfection.

1. UNDERLAYS

Make a great floor greater. Underlays increase walking comfort, improve your room's acoustics, avoid creaking noises, support the click system and protect floors from rising moisture and rising damp. They can be combined with underfloor heating or cooling too.

2. SKIRTINGS

Finish the look with colour matching skirtings, or complete your interior style with one of the many paintable white shapes.

3. PROFILES

Hide those saw cuts and give your floor room to expand with profiles. Create a smooth transition with the colour matched Incizo® profile.

ALL YOU NEED TO INSTALL, FINISH AND MAINTAIN YOUR FLOOR

A laminate floor is more than the planks you walk on. It's a complete home decor solution. That's why Pergo also offers a full line of accessories. Everything you need for trouble-free installation, finishing and maintenance.

INSTALLATION

UNDERLAYS

		PIECE			PACK				PALLET
		length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	
	FOAM UNDERLAY for wood subfloors								
	PGUDLFOAM15B 15 m ² / roll	15800	950	2	1	195	195	950	24
	FOAM+ UNDERLAY for concrete subfloors								
	PGUDLFOAMPLUS15 15 m ² / roll	15960	940	2	1	210	210	940	20
	SMART UNDERLAY for wood subfloors								
	PGUDLSMART15 15 m ² / pack	15000	1000	3	1	1000	250	180	18
	SMART+ UNDERLAY for concrete subfloors								
	PGUDLSMARTPLUS15 15 m ² / pack	15000	1000	3	1	1000	250	180	18
	SILENT WALK UNDERLAY for wood & concrete subfloors								
	PGUDLSW7 7 m ² / roll	7000	1000	2	1	190	190	1000	40
	PROFESSIONAL SOUNDBLOC								
	PGUDLPS15 15 m ² / roll	15790	950	2	1	240	240	940	20
	PGUDLPS50 50 m ² / roll	52640	940	2	1	420	420	940	6

INSTALLATION

INSTALLATION TOOLS



	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
ADHESIVE TAPE								
NETAPE50	5000	50	0,5	96	310	290	290	960



INSTALLATION SET								
PGTOOLA	395	100	47	10	415	330	120	48

COMMERCIAL INSTALLATION TOOLS



	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
PROFESSIONAL PULLBAR								
PGWPULLBAR Professional and silent pullbar thanks to the rubber shock absorber on the contact surface.	700	280	230	1	575	375	140	120



PROFESSIONAL TAPPING BLOCK								
PGWTAPPINGBLOCK Professional tapping block that distributes the tapping force equally to protect your plank.	520	110	62	10	200	200	60	480

FINISHING

SKIRTINGS



	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
COLOUR MATCHED STANDARD SKIRTING PGSK(-)	2400	12	58	6	2410	65	61	720



COLOUR MATCHED PARQUET SKIRTING PGPSK(-)	2400	14	77	6	2410	84	77	432
--	------	----	----	---	------	----	----	-----



PAINTABLE STANDARD SKIRTING PGSKPAINTA	2400	12	58	6	2405	60	65	720
--	------	----	----	---	------	----	----	-----



PAINTABLE PARQUET SKIRTING PGPSKPAINTA	2400	14	77	6	2410	84	77	432
--	------	----	----	---	------	----	----	-----



PAINTABLE SCOTIA PGSCOTPAINTA	2400	17	17	6	2440	54	54	894
---	------	----	----	---	------	----	----	-----

FINISHING

SKIRTINGS

	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 PAINTABLE COVER SKIRTING PGISKRCOVER	2400	16	129	6	2410	56	139	264
 PAINTABLE WATERPROOF MEDIUM SKIRTING PGHSK58PAINT	2400	13	58	6	2400	80	60	540
 PAINTABLE WATERPROOF LARGE SKIRTING PGHSK80PAINT	2400	15	80	6	2400	80	90	432
 CLICKABLE WHITE SMALL SKIRTING SFSKCLICKWHITE126 SFSKCLICKWHITE240	1260 2400	12 12	50 50	6 6	1291 2431	73 73	57 57	360 360
 CLICKABLE PAINT SMALL SKIRTING SFSKCLICKPAINT126 SFSKCLICKPAINT240	1260 2400	12 12	50 50	6 6	1291 2431	73 73	57 57	360 360
 CLICKABLE WHITE MEDIUM SKIRTING SFPSKCLICKWHITE126 SFPSKCLICKWHITE240	1260 2400	12 12	70 70	6 6	1291 2431	72 72	89 89	288 288

FINISHING

SKIRTINGS



	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
CLICKABLE PAINT MEDIUM SKIRTING								
SFPSKCLICKPAINT126	1260	12	70	6	1291	72	89	288
SFPSKCLICKPAINT240	2400	12	70	6	2431	72	89	288



CLICKABLE WHITE LARGE SKIRTING								
SFTSKCLICKWHITE126	1260	14	100	6	1291	79	107	252
SFTSKCLICKWHITE240	2400	14	100	6	2431	79	107	252



CLICKABLE PAINT LARGE SKIRTING								
SFTSKCLICKPAINT126	1260	14	100	6	1291	79	107	252
SFTSKCLICKPAINT240	2400	14	100	6	2431	79	107	252

INSTALLATION TOOLS FOR SKIRTINGS



	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
MULTIGLUE								
PGGLUE290 290 ml	50	50	230	12	213	160	240	1200

FINISHING

PROFILES

	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 INCIZO® PROFILE PGINCP(-)	2150	48	13	1	2250	69	27	266
 INCIZO® ALUMINIUM SUBPROFILE FOR STAIRS NEINCPBASE2 (8 mm floors) NEINCPBASE6 (9,5 mm floors) NEINCPBASE8 (8 mm floors) NEINCPBASE11 (9 mm floors)	2150	71	21	1	2160	74	22	234
 MULTIFUNCTIONAL PROFILE SILVER PGPRSILV	1860	47	16	1	1860	60	16	340

COMMERCIAL PROFILES

	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 COMMERCIAL EXPANSION PROFILE COLOUR MATCHED PGEXPC(-) From laminate to laminate. Easy installation with snap-in function. Min. order quantity 30 pcs, order per 5 pcs	2350	50	9,5	5	2365	80	70	225

FINISHING

METAL PROFILES



ADAPTER PROFILE

SILVER
SFADPSILV

COFFEE
SFADPCOFF

CLAY
SFADPCLAY

CHAMPAGNE
SFADPCHAM

BLACK
SFADPBLACK

length mm	PIECE			PACK				PALLET
	width mm	height mm		pc / pack	length mm	width mm	height mm	

2000	40	10	10	2102	142	52	400
------	----	----	----	------	-----	----	-----



EXPANSION PROFILE

SILVER
SFEXPSILV

COFFEE
SFEXPCOFF

CLAY
SFEXPCLAY

CHAMPAGNE
SFEXPCHAM

BLACK
SFEXPBLACK

2000	31	10	10	2102	142	52	400
------	----	----	----	------	-----	----	-----



END PROFILE

SILVER
SFENPSILV

COFFEE
SFENPCOFF

CLAY
SFENPCLAY

CHAMPAGNE
SFENPCHAM

BLACK
SFENPBLACK

2000	21	10	10	2102	142	52	400
------	----	----	----	------	-----	----	-----

NEW LAMINATE STAIR COVERS – THE FAST, EASY UPGRADE OF YOUR STAIRS

Upgrade your staircase effortlessly with our Laminate Stair Covers. This solution is perfect for renovating the stairs yourself. The covers are designed to be placed directly on top of your existing steps, making them an ideal choice for those who want to upgrade their stairs without a full renovation. You also have the possibility to seamlessly match with your staircase with your floor.



LAMINATE STAIR COVERS

Laminate Stair Covers are designed to be placed directly on top of your existing steps. They are scratch, wear, and water resistant, which make them perfect for active households, providing both durability and easy cleaning.

And thanks to the simple installation, it's an efficient way to renovate your staircase.

Available for Lillehammer and Visby ranges:

LILLEHAMMER: PGSTRBLIL(-)120

VISBY: PGSTRBVIS(-)120

For full article number, and to calculate how much of the product you need, go to pergo.com

QUICK AND EASY INSTALLATION

The covers are designed to be placed directly on top of your existing steps. And they are really fast and easy to install with Multiglue.

COLOUR MATCHED FINISH

Use the same decor on your Stair Cover as on your floor to give your home that seamless look. Thanks to the stair cover being produced from real floor planks, the colour matches perfectly.

SCRATCH AND WEAR RESISTANT

Stairs that will keep looking good for years and years to come. Thanks to the Stair Covers being produced from real laminate planks, they have the same high resistance to scratch and wear.

2 INSTALLATION OPTIONS



MATCHING RISERS INSTALLATION

Gives your stair a seamless look from top to bottom.



PAINTED RISERS INSTALLATION

Install just the treads and paint the rest in the same colour as the wall.

FINISHING

FINISHING TOOLS



COLOURED SEALANT

PGKIT(-)B
310 ml

PIECE			PACK				PALLET
length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
50	50	230	12	213	160	240	1200



PIPE COVERS

PGPCINOX18
18 mm | 1 pc: 2 pipe covers

75	20	140	15	240	165	130	510
----	----	-----	----	-----	-----	-----	-----

PGPCINOX22
22 mm | 1 pc: 2 pipe covers

75	20	140	15	240	165	130	510
----	----	-----	----	-----	-----	-----	-----

TOOLS FOR A WATERTIGHT FINISH



FOAMSTRIP

NEFOAMSTRIP20
20 x 1 m x Ø 10 mm

length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
300	310	75	1	300	310	75	125



AQUA SEALANT

PGKITTRANSP
310 ml

50	50	230	12	213	160	240	1200
----	----	-----	----	-----	-----	-----	------



HYDROSTRIP FOR SKIRTINGS

NEHSTRIPSK15
(for standard skirtings)
NEHSTRIPSCOTPSK15
(for scotia & parquet skirtings)
15 m

15000	5	5	18	793	268	332	216
15000	8	5	18	793	268	332	216

MAINTENANCE

		PIECE			PACK				PALLET
		length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
	FLOOR CLEANER 1 L PGCLEANECO1000	90	76	270	6	280	165	290	342
	SPOT CLEANER 250 ML PGSPOTCLEAN	50	50	200	20	260	210	210	1200
	CLEANING KIT PGSPRAYKIT	665	170	105	4	685	350	225	48
	CLEANING MOP PGSPRAYMOP	430	145	8	6	430	152	70	804
	REPAIR KIT PGREPAIR	290	125	28	12	370	250	150	648

QUICKHEAT



PE FILM

NEUDLSCREEN34
33,75 m² / roll

length
mm

PIECE

width
mm

height
mm

pc /
pack

PACK

length
mm

width
mm

height
mm

PALLET

pc /
pallet

1350

150

0,2

1

150

250

2700

60



QUICKHEAT FOIL

NEUDLQH100X300

3000

1000

0,35

1

1040

125

125

114

NEUDLQH100X500

5000

1000

0,35

1

1040

125

125

114

NEUDLQH100X700

7000

1000

0,35

1

1040

125

125

114



QUICKHEAT FOIL

NEUDLQH120X300

3000

1200

0,35

1

1240

130

130

114

NEUDLQH120X500

5000

1200

0,35

1

1240

130

130

114

NEUDLQH120X700

7000

1200

0,35

1

1240

130

130

114



QUICKHEAT INSULATION PLATES

NEUDLQHPLATE
120 x 50 cm
1 pc: 10 plates

1200

500

7

1

1200

500

70

30



QUICKHEAT CONTROLLER KIT WIRELESS

NEQHKITWIFI

120

100

35

1

165

55

190

40

QUICKHEAT EXTENSION CABLE

NEQHEXTCAB100
1 m

1000

170

15

1

315

190

20

75

NEQHEXTCAB300
3 m

3000

170

15

1

315

190

20

75

QUICKHEAT

INSTALLATION IN 5 EASY STEPS



planner.pergo.com

1 Prepare for the installation by using our planner tool to make a plan for your project.



2 Install the QuickHeat multi-layered system.



3 Connect / click the foils together.



4 Mount the controller and connect with heating foil.



5 Insert the controller power plug in the wall socket.



HOPEFULLY, WE WON'T SEE YOU AGAIN FOR A LIFETIME

It's not that we don't love or appreciate you, as we very much do. It's just that for greater sustainability, we all need to buy less and demand more of the products we use. Our floors are crafted to endure – from the moment they're installed into your home, for a lifetime.

BUY FOR A LIFETIME

We are so confident in the durability of our floors that they come with a lifetime warranty*. Which is good for both you and the environment.

CHOOSE ECO-CERTIFIED

All our laminate floors are certified with the prestigious EU Ecolabel and Nordic Swan Ecolabel. Actually, we were the first ever to be awarded the latter for a floor – all the way back in 1995.

JOIN OUR LOVE OF WASTE

We make the core of our laminate floor out of recovered wood. We've also developed a technique to recycle HDF boards at the end of their life, making our laminate floors fully recyclable. Just like all our floors.





WE PUT WASTE IN OUR FLOORS

WE PUT WASTE IN OUR FLOORS

We really, really dislike wasting resources, which is why the HDF (High Density Fibreboard) in your breathtakingly beautiful Pergo laminate floors are made from recovered wood. A waste product we get from sawmills, roadside maintenance, and similar sources. We are also the first in the world to be able to recycle HDF boards, making our laminate floors fully recyclable.

TOUGH FLOORS FOR ROUGH PLAY

Pergo laminate floors are designed for a lifetime of use – and are literally ready for whatever life, or the kids, throws at them. We make our floors tough and hardwearing for two reasons. First, we don't want you to have to worry about your floor keeping up with you and your family. Secondly, products with an extended lifespan have a reduced impact on our planet's resources.

LIFETIME WARRANTY*

As if the incredible durability of a Pergo floor wouldn't be enough – each floor also comes with a lifetime warranty. Yes, that's quite amazing. We want you to rest assured that your Pergo floor will stand by you, no matter what life brings. While also reducing our environmental footprint, as the floor's lifespan extends way beyond the ordinary. Directly contributing to less consumption and waste and paving the way to a more sustainable future.



* For full warranty conditions visit pergo.com



PERGO®

Floors for real life

Product images may differ from actual product. The availability of products, or the products themselves, may change at any time without notice. With reservation for errors. Contents © 2023-2024 by Unilin bv – division flooring. All Rights Reserved. The contents of this brochure may not be reproduced in whole or in part without prior written permission from the publisher. For consumer questions and retailers visit pergo.com.

Pergo is a quality product produced by UNILIN BV, division flooring, Ooigemstraat 3, 8710 Wielsbeke, Belgium

a brand of  **UNILIN**